























	No	Ø mm			Type				
<b>KOMATSU</b>									
<b>Diesel Motor:</b> <b>Piston Bare: 603-54-130</b>	4	105.00	69.15 -23.70 -2.70 -1.70 107.70	40.00 x 86.00	ST	3.00 K CR 2.50 W 5.00 C	105.00	P 39010 00	
<b>Diesel Motor:</b> <b>Piston Bare: 603-52-110</b>	4	105.00	69.20 -22.70 -1.65 107.70	40.00 x 84.00		3.00 R CR 2.50 N 5.00 C	105.00	P 39012 00	
<b>Diesel Motor:</b> <b>Piston Bare: 603-30-320</b>	4	110.00	69.20 -22.70 -2.60 -1.70 116.20	40.00 x 91.00	ST	3.00 K CR 2.50 W 5.00 C	110.00	P 39020 00	

	 No    Ø mm			Type				
<b>Diesel Motor:</b> <b>Piston Bare:</b> 603-29-120	4 6    110.00	69.20 -22.00 -1.70 -2.60 116.20  	40.00 x 91.00	ST	3.00 K CR 2.50 W 5.00 C	110.00	P 39022 00	
<b>Diesel Motor:</b> <b>Piston Bare:</b> 601-11-071 <b>Vehicle:</b> D 75 A	4 6    125.00	80.20 -24.80 -2.00 -1.20 131.10  	48.00 x 104.00	ST	2.50 K CR 2.385 K 4.000 C	125.00	P 39030 00	
<b>Diesel Motor:</b> <b>Piston Bare:</b> 601-94-012 <b>Vehicle:</b> D 75 A	4 6    125.00	80.20 -25.80 -1.90 -1.20 131.10  	48.00 x 104.00	ST	2.50 K CR 2.385 K 4.000 C	125.00	P 39032 00	

	No	Ø mm			Type				
<b>KOMATSU</b>									
<b>Diesel Motor:</b> 6 D 155 A, 19260 cm <sup>3</sup> <b>Piston Bare:</b> 6127-31-2030 6127-31-2040	6	155.00	102.50 -15.80 -7.50 167.50	60.00 x 129.90	ST	3.680 K CR 3.550 K 4.747 C	155.00	P 39040 00	
<b>Diesel Motor:</b> D 355, 19260 cm <sup>3</sup> <b>Piston Bare:</b> 602-00-050	6	155.00	105.00 -23.00 -6.50 170.00	60.00 x 129.90	ST	3.680 K CR 3.550 R 4.747 C	155.00	P 39042 00	
<b>Diesel Motor:</b> 6 D 155 A, 19260 cm <sup>3</sup> <b>Piston Bare:</b> 6128-31-2012 6128-31-2113	6	155.00	102.50 -15.80 -7.50 167.50	60.00 x 129.90	ST	4.00 K CR 3.55 T CR 6.00 C 4.00 S	155.00	P 39044 00	